

<英文論文>

1. Chen K, Obara H, Matsubara Y, Fukuda K, Yagi H, Ono-Uruga Y, Matsubara K, Kitagawa Y. Adipose-Derived Mesenchymal Stromal/Stem Cell Line Prevents Hepatic Ischemia/Reperfusion Injury in Rats by Inhibiting Inflammasome Activation. *Cell Transplant* 31(): 1-15, 2022.04 (IF: 3.2)
2. Funao H, Yamanouchi K, Fujita N, Kado Y, Kato S, Otomo N, Isogai N, Sasao Y, Ebata S, Kitagawa Y, Watanabe K, Obara H, Ishii K. Comparative Study of S2-Alar-Iliac Screw Trajectories between Males and Females Using Three-Dimensional Computed Tomography Analysis: The True Lateral Angulation of the S2-Alar-Iliac Screw in the Axial Plane. *J Clin Med* 11(9): 2511, 2022.04 (IF: 3.0)
3. Okui J, Obara H, Shimane G, Sato Y, Kawakubo H, Kitago M, Okabayashi K, Kitagawa Y. Severity of early diagnosed organ/space surgical site infection in elective gastrointestinal and hepatopancreatobiliary surgery. *Ann Gastroenterol Surg* 6(3): 445-453, 2022.05 (IF: 2.9)
4. Hasegawa Y, Obara H, Chu PS, Shinoda M, Kitago M, Abe Y, Yagi H, Matsubara K, Nakamoto N, Kitagawa Y. Patients with liver cirrhosis due to nonalcoholic steatohepatitis have lesser chances for liver transplantation. *J Hepatobiliary Pancreat Sci* 29(5): 562-569, 2022.05 (IF: 3.2)
5. Endo Y, Hibi T, Shinoda M, Obara H, Kitago M, Yagi H, Abe Y, Hasegawa Y, Matsubara K, Hori S, Tanaka M, Makiuchi S, Nakano Y, Itano O, Kuroda T, Kitagawa Y. Reappraisal of liver transplantation for erythropoietic protoporphyria: A deadly combination of disease recurrence and biliary complication. *Pediatr Transplant* 26(4): 14261, 2022.06 (IF: 1.2)
6. Kisu I, Banno K, Matoba Y, Yamada Y, Emoto K, Masugi Y, Matsubara K, Obara H, Aoki D. Keio Uterus Transplantation Research: From Basic Research toward Future Clinical Application. *Keio J Med* 71(2): 33-43, 2022.06 (IF: none)
7. Shintani T, Suzuki S, Kikuchi N, Ariya T, Natsume K, Ookura K, Okui J, Sato Y, Obara H. Efficacy of Early Closed Toe Amputation for Toe Ulcers with Suspected Osteomyelitis after Revascularization for Chronic Limb-Threatening Ischemia. *Ann Vasc Dis* 15(2): 126-133, 2022.06 (IF: 0.6)
8. Nakama T, Takahara M, Iwata Y, Fujimura N, Yamaoka T, Suzuki K, Obunai K; CAULIFLOWER Study Investigators, Obara H, Matsubara K. 1-Year Outcomes of Thromboendarterectomy vs Endovascular Therapy for Common Femoral Artery Lesions: CAULIFLOWER Study Results. *JACC Cardiovasc Interv* 15(14): 1453-1463, 2022.07 (IF: 11.7)
9. Janko MR, Hubbard G, Back M, Shah SK, Pomozi E, Szeberin Z, DeMartino R, Wang LJ,

Crofts S, Belkin M, Davila VJ, Lemmon GW, Wang SK, Czerny M, Kreibich M, Humphries MD, Shutze W, Joh JH, Cho S, Behrendt CA, Setacci C, Hacker RI, Sobreira ML, Yoshida WB, D'Oria M, Lepidi S, Chiesa R, Kahlberg A, Go MR, Rizzo AN, Black JH, Magee GA, Elsayed R, Baril DT, Beck AW, McFarland GE, Gavali H, Wanhainen A, Kashyap VS, Stoecker JB, Wang GJ, Zhou W, Fujimura N, Obara H, Wishy AM, Bose S, Smeds M, Liang P, Schermerhorn M, Conrad MF, Hsu JH, Patel R, Lee JT, Liapis CD, Moulakakis KG, Farber MA, Motta F, Ricco JB, Bath J, Coselli JS, Aziz F, Coleman DM, Davis FM, Fatima J, Irshad A, Shalhub S, Kakkos S, Zhang Q, Lawrence PF, Woo K, Chung J. In-situ bypass is associated with superior infection-free survival compared with extra-anatomic bypass for the management of secondary aortic graft infections without enteric involvement. *J Vasc Surg* 76(2): 546-555, 2022.08 (IF: 3.9)

10. Takemura Y, Shinoda M, Takemura R, Hasegawa Y, Yamada Y, Obara H, Kitago M, Sakamoto S, Kasahara M, Umeshita K, Eguchi S, Ohdan H, Egawa H, Kitagawa Y. Development of a risk score model for 1-year graft loss after adult deceased donor liver transplantation in Japan based on a 20-year nationwide cohort. *Ann Gastroenterol Surg* 6(5): 712-725, 2022.09 (IF: 2.9)
11. Shinkawa H, Kubo S, Mikamo H, Matsuda N, Omura K, Okamoto K, Ono S, Obara H, Kobayashi M, Sasaki J, Shimizu J, Sueyoshi S, Yoshida J, Watanabe M, Takesue Y. Survey on the current status of the indication and implementation protocols for bile replacement in patients with external biliary drainage with special reference to infection control. *Surg Today* 52(10): 1446-1452, 2022.10 (IF: 1.7)
12. Sugimoto H, Oshima Y, Oba Y, Ikuma D, Sekine A, Mizuno H, Yamanouchi M, Hasegawa E, Suwabe T, Chu PS, Hasegawa Y, Obara H, Sawa N, Ubara Y. Successful Case of Deceased Donor Liver Transplant for Polycystic Liver Disease. *Transplant Proc* 54(10): 2779-2783, 2022.12 (IF: 0.8)
13. Hirukawa K, Masuda Y, Abe Y, Yagi H, Ibuki S, Itano O, Shinoda M, Kitago M, Hasegawa Y, Hori S, Tanaka M, Nakano Y, Matsubara K, Obara H, Yamada Y, Kuroda T, Hibi T, Kitagawa Y. Standardized upfront Glissonean approach and liver hanging maneuver reduces bile leakage from the hepatic hilum in living donors. *Liver Transpl* 29(1): 48-57, 2023.01 (IF: 5.1)
14. Watada S, Obara H, Okui J, Hosokawa K, Matsubara K, Harada H, Fujimura N, Fujii T, Shimogawara T, Kitagawa Y. Prediction of need for bowel resection in acute superior mesenteric artery occlusion: A retrospective study of 48 Japanese patients. *Ann Gastroenterol Surg* 7(1): 175-181, 2023.01 (IF: 2.9)
15. Fujimura N, Obara H, Nagano T, Ogawa Y, Kobayashi T, Ohmine T, Ozeki Y, Sakaguchi S, Yamaoka T, Ueda H, Sumi M, Taniguchi S, Ichihashi S. Early Clinical Outcomes of

the Active Seal Technology of the AFX Endovascular Aortic Aneurysm System With the VELA Cuff for Patients With a Conical Proximal Neck. *J Endovasc Ther* 30(1): 114-122, 2023.02 (IF: 1.7)

16. Hosokawa K, Obara H, Fukuda K, Matsubara K, Kitagawa Y. Specificity of Presepsin as a Biomarker of Bacterial Infection in Mouse Sepsis Models. *J Surg Res* 283(): 572-580, 2023.03 (IF: 1.8)